

INFOCUS® x1™ MULTI-USE PERFORMANCE



WHERE BUSINESS AND ENTERTAINMENT CONVERGE

InFocus X1 marks the spot where work and fun meet. Where business tools and home entertainment options converge into a projector of exceptional quality. At work. At home. Wherever you are.

UNPRECEDENTED EASE

Imagine. A projector that works the way you do. InFocus ProjectAbility™ makes projecting easier than it's ever been—from setup, use, options, storage, and management. Exclusively from InFocus.



FROM WORK TO FUN

- DIGITAL VIDEO QUALITY.
With the InFocus X1, you can enjoy crisp images and full color with the latest digital processing technology (DLP™) from Texas Instruments® and DCDi™ video processing by Faroudja for an amazing 2000:1 contrast ratio.
- INCREDIBLE BRILLIANCE.
The X1 delivers superior brightness in almost any environment a powerful zoom lens fills your screen or wall, all with 1100 lumens with an incredible 4000 hour lamp life.
- INPUT POSSIBILITIES.
Hook up your laptop, PDA, DVD player, cable or satellite TV system, digital camera, or game consoles.
- REVOLUTIONARY FEATURE-TO-VALUE RATIO.
InFocus innovation enables this high-end professional package to be available to all users, at home or at work, at a great price.

WORKS WEEKENDS

Introducing the first digital projector designed to unite professional quality technology with business and lifestyle functions. The InFocus X1 projects a professional quality image whether you're in the meeting room or living room.



The perfect lifestyle projector.



At home...



...or at work.



Instant home entertainment.

— SERIOUS IMAGE QUALITY.

Going for incredible images? Get to know the technology inside the X1—Digital Light Processing (DLP™) technology from Texas Instruments. It's the world's only all-digital display solution. Based on a unique, fast, digital, reflective semiconductor called the Digital Micromirror Device, or DMD, DLP™ projects large, high-contrast images with unmatched color fidelity and consistency. With Faroudja DCDi™ processing, each image is recreated with maximum fidelity, so you enjoy clear, sharp pictures and brilliant colors. And its wide-screen capability lets you enjoy amazing video performance in a movie-theater format.

— SERIOUS COMPATIBILITY.

Easy color-coded setup lets you go from meeting room to living room without missing a beat. An optical zoom lens helps to fill your screen or wall from any location. And you can count on crisp images thanks to a 2000:1 contrast ratio and 1100 lumens of brightness. Impress your business clients with brilliant presentations during the workday.

Get started right away with intuitive keypads, remote controls, and menus. Hookups are simple with color-coded connections. It's even easy to carry: at a mere 6.8 lbs/ 3.1 kg, the X1 is lightweight and super-portable. Connect two sources simultaneously for seamless switching and simple content integration.

— SERIOUS DEPENDABILITY.

You can count on the X1's superior quality for an exceptionally long time. Its long-life lamp shines for an incredible 4000 hours. So sit back. Relax. Enjoy.

— SERIOUS VALUE.


Never before has such a combination of image quality, dependability, and flexibility been available at such a low cost of ownership. The X1's combination of features has never been so affordable.

— SERIOUS EASE.

Like all InFocus projectors, the X1 is designed to be easy to set up and operate. ProjectAbility™ ease begins with a simple keypad that delivers one-touch operation, so there's no need to refer to the user manual for common tasks.

Choose the exact function you need with just one touch at the top of the projector. It's all clearly labeled. Incorporating years of usability research, the ease-of-use philosophy we call ProjectAbility makes meetings shorter and presentations easier. Most of all, it gives users confidence and eliminates many distractions, so everyone can concentrate on the business at hand.

EASY, SERIOUSLY.



- 1 Active Monitor Loop-Through Output
- 2 Laptop, PDA, HDTV Input
- 3 DVD Player, Cable/ Satellite TV, VCR, Game Console, Digital Camera
- 4 Audio In
- 5 USB Control



THE INFOCUS COMMITMENT

Experience for yourself why InFocus Corporation is the worldwide leader in digital projection. Our dedication to quality and customer satisfaction is reflected in service options that will bring you a greater return on your investment. InFocus projectors come with a standard 2-year limited factory warranty, including parts and labor, and a 90-day lamp replacement warranty. Our customer support offers you premium service and convenience, whatever your needs.

For service program details in your region, please visit www.infocus.com/service/service_offerings

OPTIONAL ACCESSORIES

| | |
|----------------|---|
| SP-LAMP-009 | Replacement lamp |
| SP-VESA-ADPT | Component video to VESA (15-pin) adapter. High-definition and progressive input adapter, YPbPr to VESA. |
| SP-VIDEO-ADPT | Component video to S-Video adapter, not for "progressive-only" devices |
| A650 | Portable screen, 50"/127 cm diagonal |
| HW-DLXSCRN | Portable screen, 60"/152 cm diagonal |
| HW-WALLSCR84 | Ceiling/Wall mountable screen, 84"/213 cm diagonal |
| SP-CEIL-007B | LM+ Projector mount w/o 9-12"/22.8-30.4 cm extension |
| SP-LTMT-EXTP | LM+ Extension arm 26-47"/66-119 cm |
| SP-LTMT-EXTPS | LM+ Extension arm 9-12"/22.8-30.4 cm |
| SP-LTMT-PLT | Mounting False Ceiling Plate |
| AV30 | 30'/9 m AV Cable |
| SP-LOCK-B | Projector Security Lock |
| SP-VGAEXT50-D | 50'/15 m VGA extension bundle –US |
| SP-VGAEXT50-I | 50'/15 m VGA extension bundle – international |
| CA-ATA-014 | ATA Approved Shipping Case |
| CAC132 | Deluxe Carry Case |
| CASE-802 | Samsonite® Deluxe Travel case |
| HW-RF-POCKTPNT | Mind Path™ PocketPoint RF Remote control (Americas only) |
| HW-PRESENTER | The Presenter IR Presentation Remote |
| HW-CONDUCTOR+ | The Conductor+ full feature remote w/laser |

Ships Standard With

- Soft carry case
- Lens cap
- Projector lamp
- Wireless Remote Control (including batteries)
- Standard VESA 15-pin analog computer cable
- 3.5mm computer audio cable
- Video cable
- Power cord
- SCART adapter (Europe Only)
- Projector System CD includes: multi-language User's Guide, Quick Start Card, URL/service information/accessories after market
- User's Guide (printed version)
- Quick Start Card (printed version)

TECHNICAL SPECIFICATIONS

| | |
|-----------------------------|--|
| Native Resolution | • SVGA 800 x 600 |
| Display Technology | • DLP™ by Texas Instruments®: 0.55" SVGA DDR DMD |
| Input Sources | • Computer (VGA 15-pin HDDSUB female): video (S-Video 6-pin mini DIN, component RCA through S-Video adapter, and composite video RCA); audio (3.5mm mini jack) |
| Output Sources | • Monitor Out (VESA) |
| Computer Compatibility | • SVGA, VGA, XGA, Macintosh™ |
| Video Compatibility | • NTSC, PAL, SECAM, EDTV, HDTV (1080i, 720p, and 480p RGBHV) |
| Brightness | • 1100 max ANSI lumens |
| Contrast Ratio | • 2000:1 full on/full off |
| Number of Colors | • 16.7 million |
| H-Synch Range | • 31.5 – 80 kHz |
| V-Synch Range | • 50 – 85 Hz |
| Dot Clock | • 20 to 95 MHz |
| Digital Keystone Correction | • +/- 20° vertical correction; data/video |
| Projection Lens | • Zoom lens with manual focus and manual zoom adjust |
| Zoom Ratio | • 1.2:1 |
| Minimum Projection Distance | • 1.5 m (maximum distance 9.8 m) |
| Aspect Ratio | • 4:3 native (supports 16:9) |
| Image size (diagonal) | • 2.7' to greater than 21.6' (0.8 m to greater than 6.5 m) |
| Projection Methods | • Front, ceiling, rear |
| Audio | • 2.5-Watt mono |
| Control | • Projector keypad; IR remote control |
| Lamp | • 150W SHP/4000 hours* |
| Dimensions | • 9.8" (W) x 12.5" (L) x 4.2" (H) /24.9cm x 31.8cm x 10.6cm |
| Weight | • 6.8 lbs/3.1 kg |
| Power Consumption | • 200 watt typical/250 watt maximum |
| Power Supply | • 100V – 240V at 50 – 60 Hz |
| Operating Temperature | • 5° to 40° C at sea level (0 to 10,000'); 41° – 104° F |
| Menu Languages | • English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simple), Chinese (traditional), Japanese, Korean, Russian |
| Audible Noise | • 37 dB |
| Approvals | • UL, c-UL, TUV GS, CE, GOST, C-Tick, NOM, IRAM, FCC B, CISPR22 /EN55022, EN 55024 / CISPR 24, CB certified according to IEC60950 / EN60950: 1997, P(SE), MIC |
| Lamp Warranty | • 90 days or 500 hours, whichever comes first |
| Product Warranty | • 2 years parts and labor |
| Accessory Warranty | • 1 year |

* Actual lamp life may vary based on ambient environment. Conditions that may affect lamp life include temperature, altitude or rapidly switching the projector on and off.

Contact InFocus or your dealer today.

www.infocus.com

InFocus Corporate Headquarters:

27700B SW Parkway Avenue • Wilsonville, Oregon 97070-9215, USA
Phone: 503-685-8888 • 1-800-294-6400 • Fax: 503-685-8887

In Europe: InFocus International BV

Strawinskylaan 585 • 1077 XX Amsterdam • The Netherlands
Phone: (31) 20 5792000 • Fax: (31) 20 5792999
Freephone: 008000 4636287 (008000 INFOCUS)

In Asia: InFocus ASA

238A Thomson Road • #18-01/04 Novena Square
Singapore 307684 • Phone: (65) 6334-9005 • Fax: (65) 6333-4525

InFocus is a registered trademark and X1 and ProjectAbility are trademarks of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies.
©2003 InFocus Corporation. All rights reserved. 805-0713-03. X1_DS_E_V03.qxd. 09/2003.